


NOTE: PROFILE WITH PURLIN BEARING FOOT ON UNDERLAP RIB REQUIRES 1095MM (43.1") WIDE COIL.

COVER 914.4 [36"]
 Ex 1085mm (41.93") WIDE COIL



NOTE RE MATERIAL SPECIFICATIONS.
 THIS DRAWING OF THE "R" PANEL IS TO BE USED ONLY WHERE THE CLIENT INTENDS USING GRADE "E" MATERIAL OR EQUIVALENT.

MATERIAL SPECIFICATION	
METAL TYPE	STEEL (GRADE "E")
THICKNESS	0.35 - 0.5
TEMPER	450/550 MPa
FINISH	PREPAINTED, GALVANISED, ZINCALUME

This drawing is the property of GIBBS INTERNATIONAL and shall remain the confidential property of the company.

GIBBS INTERNATIONAL
 Auckland
 New Zealand

DIMENSIONS IN mm			
TOLERANCES UNLESS STATED	COVER	PITCH	ANGLE
	± 2.5	± 1.5	± 1.0 ± 1.5°

Title: "R" PANEL"
 (GRADE "E" ONLY)

ISSUE	DATE	JOB NO.	SCALE	DRAWN	DATE	DWG NO.
1	07/04/04	1001 WAS 3mm	1:1	GH	23/07/01	QC1176A